# **E-LIBERTY®**

### **Series of Fiber Distribution Hubs**

144, 288, 432 and 576 PON/Cross Connect Cabinets











### E-Liberty Series of PON/Cross Connect Fiber Distribution Cabinets

The E-Liberty is a cost-effective, ready-to-deploy PON solution you can depend on to protect your customers' connections from the elements and vandals.

#### **Universal Splitter Panel**

- Craft-friendly "add splitters as you grow" design
- Allows for use of any brand of cartridge, PLC, LGX & some proprietary splitters
- Supports split ratios: 1x2, 1x16, 1x32, 1x64, 1x128
- · Integrated feeder fiber panel





#### **Isolated Locator Service Access**

• No unauthorized entry into main fiber compartment

#### **Fixed Fiber Panels**

- Fiber connectors & cables stay locked in place
- · No stress to fiber connections


#### **Secure Rear Access Panel**


- · Limits access to cables & rear connections
- · Allows access for troubleshooting or major damage repair

#### **Hot Slide Removable Cable Entrance**

- Allows for reskinning of cabinet without loss of service
- Accommodates future expansion to larger cabinet

Optional Mounting Plinth





Call a Sales Representative for Assistance.



597 Evergreen Road Strafford MO 65757 417-736-2135 Toll Free: 855-736-2135 amprod.us



## **E-LIBERTY**®

E-LIBERTY CONFIGURATIONS	144	288	432	576
Model Numbers	AMLE-2818-144	AMLE-2818-288	AMLE-2832-432	AMLE-2832-576
Cabinet Dimensions	28"Hx18"Wx18"D	28"Hx18"Wx18"D	28"Hx32"Wx18"D	28"Hx32"Wx18"D
Weight	96 LBS	120 LBS	190 LBS	210 LBS
Fiber Count	144 SC/APC	288 SC/APC	432 SC/APC	576 SC/APC
Fiber Count - Feeder	12 SC/APC	12 SC/APC	24 SC/APC	24 SC/APC
Stub Type and Length	Loose Tube - 100'	Loose Tube - 100'	Loose Tube - 100'	Loose Tube - 100'
Cable Entrance Glands	2	3	5	5
Mounting Options	Vault Lid, Pad or Pole Mount	Vault Lid, Pad or Pole Mount	Vault Lid or Pad	Vault Lid or Pad
Splitter Compartment	Large Capacity Universal Splitter Panel			
Splitter Types Supported	Cartridge, PLC, LGX & specific brand			
Hot-Slide Cable Entrance Panel	Exclusive removable cable entrance panel allows for cable & patch panels to be removed from the cabinets without having to cut & resplice fiber			

OPTIONS			
Splitter	AMSP-SCAP-1X32 Cartridge Style with 1M SCAPC bend-insensitive fiber lea		
Parking Lot	AM-PKL-64	64 Position Parking Lot	
Riser Base (Plinth)	AMLE-121818-MP	12" Tall Secure Mount Riser Base with Locator Access to Tone Grounding Strip	
	AMLE-61818-MP	6" Tall Secure Mount Riser Base with Locator Access to Tone Grounding Strip	
Pole Mount Bracket	AMLE-PM	Pole Mount Bracket	

Call a Sales Representative for Assistance.







597 Evergreen Road | Strafford, Missouri 65757 Phone: 417-736-2135 | Toll Free: 855-736-2135 amprod.us