

# *AP FORT*<sup>™</sup>

Thermal Shelter



**AMERICAN**  
**PRODUCTS**   
*Turn-Key Enclosure Solutions*

## AP FORT™ Standard Offerings



**Galvanized Steel.** Outstanding impact and corrosion resistance. Walls, floor and ceiling 14 gauge. Ceiling joists 12 gauge.



**NEMA Protection:** Protection Level Type 3R. This enclosure protects against rain, sleet, snow, splashing water and damage from external ice formation.



**Stainless Steel Hardware:** We choose the highest quality materials to produce our enclosures. Type 304 stainless steel hardware will not rust in the field.



**GR487 Powder Coat:** Enclosures are powder coated and tested to the Telcordia GR487 specifications for telecom enclosures.



**Power:** Pre-wired 20 Amp receptacles are a standard feature.



**Load Center:** 100 Amp load center w/ main & branch circuit breakers, 12 slot.



**Vinyl Flooring:** Commercial Grade



**Locking:** Secure, strong lockable door knobs



**LED Lighting**



**Lifting Eyes/Forklift Tubes:** Crane ready lifting eyes and forklift tubes for a convenient way to offload and position your shelter.



**Insulation:** 11R in-wall, ceiling and floor.



### Standard Color / finish choices:


*Colors shown here are approximate.*



Beige



White



Grey



Aggregate



Custom



**Call a Sales  
Representative  
for Assistance.**



Shown with Options




Shown with Options

## AP FORT™ Options



**Upgraded Load Center**



**Copper Ground Bar**



**Numbered 19" or 23" EIA Standard Relay Racks**



**Laptop Tray**



**Generator Plug & Interlock**



**Battery Racks**



**Door Alarm**



**L Rail Set**



**Ladder Racks**



**Surge Arrester**

## AP FORT™ Climate Control Options



### AC and Heat\*

- 1 TON to 5 TON Units
- High Volume
- AC or DC Powered



### High Output Ventilation

- 115VAC / 12, 24, 48VDC
- Adjustable Thermostat
- Filters Available



### Heat Exchanger

- Consult factory for sizes.



### Redundancy

- Dual AC with a controller that switches lead/lag AC.



### Baseboard Heat

- Built in adjustable thermostat
- 1500W, 115VAC




### Battery Heater

- 115VAC

*\*Telcom Grade with auto-changeover thermostat*

**Call a Sales Representative for Assistance.**

## Basic Layout w/ Options



## How to Order

EXTERIOR HEIGHT	INTERIOR HEIGHT	WIDTH	DEPTH	INTERIOR SQ FOOTAGE	BASIC WEIGHT WITHOUT OPTIONS
108" (9')	95" (7.917')	72" (6')	72" (6')	36	2875 LBS
108" (9')	95" (7.917')	72" (6')	108" (9')	54	3710 LBS
108" (9')	95" (7.917')	96" (8')	144" (12')	96	6870 LBS
108" (9')	95" (7.917')	108" (9')	180" (15')	135	7750 LBS
108" (9')	95" (7.917')	120" (10')	252" (21')	210	11250 LBS

**Try the Online Configurator to Design Your Own!**

**Call a Sales Representative for Assistance.**