

AP HERITAGE™

Multibay Enclosure



AMERICAN
PRODUCTS 
Turn-Key Enclosure Solutions

AP HERITAGE™ Standard Offerings



.125 Aircraft Grade Aluminum: Outstanding corrosion resistance.



NEMA Protection: Protection Level Type 3R. This enclosure protects against rain, sleet, snow, splashing water and damage from external ice formation.



Stainless Steel Hardware: We choose the highest quality materials to produce our enclosures. Type 304 stainless steel hardware will not rust in the field.



GR487 Powder Coat: Enclosures are powder coated and tested to the Telcordia GR487 specifications for telecom enclosures.



Power: A pre-wired 20 Amp quad receptacle is a standard feature.



Numbered Adjustable Equipment Racks: 19" or 23"



Solar Shield Roof: Includes a double wall roof to reduce the radiant heat and internal cooling requirements of the enclosure.



Grounding Terminal: 10 position copper ground bar.



Locking: Extremely secure, strong and impermeable. Lockable handles and hinges are made from Type 304 stainless steel.



Lifting Eyes: Crane ready lifting eyes for a convenient way to offload and position your enclosure.



Shown with Options

Standard Color / finish choices:


Colors shown here are approximate.



Beige



White



Grey



Custom



**Call a Sales
Representative
for Assistance.**



Shown with Options



Shown with Options

AP HERITAGE™ Options



Load Center



LED Interior Lighting



Additional Set of Rails



Laptop Tray



Generator Plug & Interlock



Battery Tray



Battery Compartment



L Rail Set



Door Alarm



Insulation
Recommended for climate control options



Mount Plinth
4" or 6"

AP HERITAGE™ Climate Control Options



AC 1,000 to 12,000 BTU/hr

- Built-in Heater
- Corrosion Protection
- Cold Start Heater



Exhaust Fan

- 115VAC / 12, 24, 48VDC
- Adjustable Thermostat
- Filters *



Heat Exchanger

- Consult factory for sizes.



AC 1,000 to 6,000 BTU/hr

- 48 VDC Powered



Heater

- Built in adjustable thermostat
- 100W-1000W 115VAC




Battery Heater Pad

- 115VAC
- Fits on Battery Tray

Call a Sales Representative for Assistance.

Basic Layout



How to Order

RU's	HEIGHT	WIDTH	DEPTH	QUAD REP	RACK RAILS
32	32"	60"	36" or 42"	20 AMP	19" or 23"
48	47"	60"	36" or 42"	20 AMP	19" or 23"
60	58"	60"	36" or 42"	20 AMP	19" or 23"
72	68"	60"	36" or 42"	20 AMP	19" or 23"
84	78"	60"	36" or 42"	20 AMP	19" or 23"

Try the Online Configurator to Design Your Own!

**Call a Sales
Representative
for Assistance.**