

AP PATRIOT[™]

Multi-Function Enclosure



AMERICAN
PRODUCTS 
Turn-Key Enclosure Solutions

AP PATRIOT™ Standard Offerings

AI .125 **.125 Aircraft Grade Aluminum:** Outstanding corrosion resistance.

NEMA TYPE 3R **NEMA Protection:** Protection Level Type 3R. This enclosure protects against rain, sleet, snow, splashing water and damage from external ice formation.

SS **Stainless Steel Hardware:** We choose the highest quality materials to produce our enclosures. Type 304 stainless steel hardware will not rust in the field.

Powder Coat **GR487 Powder Coat:** Enclosures are powder coated and tested to the Telcordia GR487 specifications for telecom enclosures.

115V **Power:** A pre-wired 20 Amp quad receptacle is a standard feature.

19" 23" **Numbered Adjustable Equipment Racks:** 19" or 23"

Solar Shield Roof **Solar Shield Roof:** Includes a double wall roof to reduce the radiant heat and internal cooling requirements of the enclosure.

Ground Terminal Strip **Ground Terminal Strip:** 12 position aluminum strip

Locking **Locking:** Extremely secure, strong and impermeable. Lockable handles and hinges are made from Type 304 stainless steel.

Lifting Eyes **Lifting Eyes:** Crane ready lifting eyes for a convenient way to offload and position your enclosure.

Battery Compartment



Shown with Options

Standard Color / finish choices:


Colors shown here are approximate.



Beige



White



Grey



Custom



**Call a Sales
Representative
for Assistance.**



Shown with Options



Shown with Options

AP PATRIOT™ Options



Load Center



**Upgraded
Copper
Ground Bar**



**Additional
Set of Rails**



**Laptop
Tray**



**Generator
Plug &
Interlock**



**LED Interior
Lighting**



Battery Tray



L Rail Set



**Door
Alarm**



Insulation
Recommended for
climate control options

AP PATRIOT™ Climate Control Options



HVAC 1,000 to 12,000 BTU/hr

- Built-in Heater
- Corrosion Protection
- Cold Start Heater



Exhaust Fan

- 115VAC / 12, 24, 48VDC
- Adjustable Thermostat
- Filters *



Heat Exchanger

- Consult factory for sizes.



HVAC 1,000 to 6,000 BTU/hr

- 48 VDC Powered



Heater

- Built in adjustable thermostat
- 100W-1000W 115VAC




Battery Heater Pad

- 115VAC
- Fits on Battery Tray

**Call a Sales
Representative
for Assistance.**

Basic Layout



How to Order

RUs	HEIGHT	WIDTH	DEPTH	BATTERY PLINTH HEIGHT	RACK RAILS
16 or 32	32"	40"	36" or 42"	16"	19" or 23"
24 or 48	47"	40"	36" or 42"	16"	19" or 23"
30 or 60	58"	40"	36" or 42"	16"	19" or 23"

Try the Online Configurator to Design Your Own!

Call a Sales Representative for Assistance.