


AP UNITY[™]

Outdoor Wallmount MDU Fiber Distribution Enclosures



AMERICAN
PRODUCTS 
Turn-Key Enclosure Solutions

AP UNITY™ Standard Offerings



NEMA Protection: Protection Level Type 3R. This enclosure protects against rain, sleet, snow, splashing water and damage from external ice formation.



.125" Aluminum: High Strength to Weight Ratio



Stainless Steel Hardware: We choose the highest quality materials to produce our enclosures. Type 304 stainless steel hardware will not rust in the field.



GR487 Powder Coat: Enclosures are powder coated and tested to the Telcordia GR487 specifications for telecom enclosures.



Locking: Extremely secure, strong and impermeable. Lockable handles and hinges are made from Type 304 stainless steel.



Interior w/ Optional
SC/APC Connectors

Standard Color / finish choices:

Colors shown here are approximate.



Beige



White



Grey



Custom



**Call a Sales
Representative
for Assistance.**



AP UNITY™
MDU
Outdoor & Indoor
Wall Mount

AP UNITY™ Series
=
Freedom to Choose




Splitters & Mux



Rack Mount
Fiber Tray
1RU to 4RU

**Choose
Technology
That is Right
for the
Application**



Internal Splicing



Fiber Cabling



AP LIBERTY®
Pole Mount
Pad Mount



AP NAUTILUS®
Below Grade



Patch
Panels

AP UNITY™ Quick Solution Options

LGX Style

- Splitters
- Splice Trays
- Adapter Plates



Cassette Splitters

- 1x8
- 1x16
- 1x32
- 2x32
- 1x64



Mount Options

- Wall Mount



Fiber Pigtail

- Pre-Connectorized SC APC
- Fiber Count 12, 24, 36, 48, Loose Tube
- 100'


Splice Trays

- 12 Count
- 24 Count

Call For Additional Options and Configurations

**Call a Sales
Representative
for Assistance.**

Basic Layout



How to Order

MOUNT	PORTS	HEIGHT	WIDTH	DEPTH	SPLITTER CAPACITY	FIBER INPUT
Wall Only	Up to 48	21.14"	12.5"	5.19"	3	Up to 24

Call a Sales Representative for Assistance.