


AP FREEDOM[™]

Outdoor Enclosure for Rackmount Equipment



AMERICAN
PRODUCTS 
Turn-Key Enclosure Solutions

AP FREEDOM™ Standard Offerings



.125 Aircraft Grade Aluminum: Outstanding corrosion resistance.



NEMA Protection: Protection Level Type 4. This enclosure protects against rain, sleet, snow, splashing, hose directed water and damage from



Stainless Steel Hardware: We choose the highest quality materials to produce our enclosures. Type 304 stainless steel hardware will not rust in the field.



GR487 Powder Coat: Enclosures are powder coated and tested to the Telcordia GR487 specifications for telecom enclosures.




Power: A pre-wired 20 Amp quad receptacle is a standard feature.



Numbered Adjustable Equipment Racks: 19" or 23"



Solar Shield Roof: Includes a double wall roof to reduce the radiant heat and internal cooling requirements of the enclosure.



Grounding Terminal: 10 position copper ground bar.



Locking: Extremely secure, strong and impermeable. Lockable handles and hinges are made from Type 304 stainless steel.



Lifting Eyes: Crane ready lifting eyes for a convenient way to offload and position your enclosure.



Standard Color / finish choices:


Colors shown here are approximate.



Beige



White



Grey



Custom



**Call a Sales
Representative
for Assistance.**

AP FREEDOM™ Options



Load Center



**LED Interior
Lighting**



**Additional
Set of Rails**



**Generator
Plug &
Interlock**



Battery Tray



**Battery
Compartment**



**Door
Alarm**




L Rail Set



Insulation
Recommended for
climate control options



**Laptop
Tray**



Mounting Plinth
4" or 6"

AP FREEDOM™ Climate Control Options



AC 1,000 to 12,000 BTU/hr*

- Built-in Heater
- Corrosion Protection
- Cold Start Heater



AC 1,000 to 6,000 BTU/hr

- 48 VDC Powered



Exhaust Fan

- 115VAC / 12, 24, 48VDC
- Adjustable Thermostat
- Filters



Heater

- Built in adjustable thermostat
- 100W-1000W 115VAC



Heat Exchanger

- Consult factory for sizes.




Battery Heater Pad

- 115VAC
- Fits on Battery Tray

**Call a Sales
Representative
for Assistance.**

Basic Layout



How to Order

RUs	HEIGHT	WIDTH	DEPTH	QUAD REP	RACK RAILS
16	32"	30"	30" or 36"	20 AMP	19" or 23"
24	47"	30"	30" or 36"	20 AMP	19" or 23"
30	58"	30"	30" or 36"	20 AMP	19" or 23"
36	68"	30"	30" or 36"	20 AMP	19" or 23"
42	78"	30"	30" or 36"	20 AMP	19" or 23"

Call a Sales Representative for Assistance.